

Report No.: XMTN1220314-08801E Date: March 21, 2022 Page 1 of 8 Xiamen Innovacera Advanced Materials CO., LTD A506-507, No.7 Yu' nan Fourth Road, Huli District, Xiamen area of China (Fujian) Pilot Free Trade Zone Report on the submitted samples said to be: Sample Description: Ceramic Metallized Tube OD55\*ID45\*65mm Style/Item No.: Color: white Country of Origin: China Manufacturer: Xiamen Innovacera Advanced Materials CO., LTD Xiamen Innovacera Advanced Materials CO., LTD Supplier: March 15,2022 Sample Receiving Date: March 15,2022 - March 18,2022 Testing Period: Please refer to next page(s). Result: Signed for and on behalf of **BACL** Checked by: Approved by: Jenifer Yu Fedor Zhang

Bay Area Compliance Laboratories Corp. (Fujian)



**Report No.: XMTN1220314-08801E** Date: March 21, 2022 Page 2 of 8

Summary of Test Result:

TEST REQUEST CONCLUSION

A RoHS Directive 2011/65/EU and its amendment directives (EU) 2015/863 Pass

A.1 Wet Chemical Testing

A.1.1 Total Lead content Please refer to next page(s).

A.1.2 Total Cadmium content Please refer to next page(s).

A.1.3 Total Mercury content Please refer to next page(s).

A.1.4 Chromium VI (CrVI) content Please refer to next page(s).

A.1.5 PBBs & PBDEs content Please refer to next page(s).

A.2 Phthalates(DBP, BBP, DEHP, DIBP)content Please refer to next page(s).



Report No.: XMTN1220314-08801E Date: March 21, 2022 Page 3 of 8

Result:

Tested part(s):

(1) White Aluminium Ceramic Metalized Tube



**Report No.: XMTN1220314-08801E** Date: March 21, 2022 Page 4 of 8

#### A RoHS Directive 2011/65/EU and its amendment directives (EU) 2015/863

#### **A.1 Wet Chemical Testing**

### A.1.1 Total Lead content

Test method: IEC 62321-5:2013

Item		DI	Result	Limit
	Unit	RL	(1)	
Lead(Pb)	mg/kg	10	N.D.	1000
Conclusion	/	/	Pass	/

#### A.1.2 Total Cadmium content

Test method: IEC 62321-5:2013

Item		DI	Result (1)	Limit
	Unit	RL		
Cadmium(Cd)	mg/kg	10	N.D.	100
Conclusion	/	/	Pass	/

#### **A.1.3 Total Mercury content**

Test method: IEC 62321-4:2013+AMD1:2017

Item		DI	Result (1)	Limit
	Unit	RL		
Mercury(Hg)	mg/kg	10	N.D.	1000
Conclusion	/	/	Pass	/

#### A.1.4 Chromium VI (CrVI) content

Test method: IEC 62321-7-2:2017

Item		DI	Result	Limit
	Unit	RL	(1)	
hexavalent chromium(Cr VI)	mg/kg	10	N.D.	1000
Conclusion	/	/	Pass	/

#### A.1.5 PBBs & PBDEs content

Test method: IEC 62321-6:2015

Item	11	D.	Result	Limit
	Unit	RL	(1)	
Monobromobiphenyl (MonoBB)	mg/kg	100	N.D.	-
Dibromobiphenyl(DiBB)	mg/kg	100	N.D.	-
Tribromobiphenyl(TriBB)	mg/kg	100	N.D.	-
Tetrabromobiphenyl(TetraBB)	mg/kg	100	N.D.	-

Bay Area Compliance Laboratories Corp. (Fujian)

The 4th Floor, No.65 Meixi RD, Siming Industrial Zone, Tong'an Area, Xiamen, China

TEL: +86-592-3200111 FAX: +86-592-5188378



**Report No.: XMTN1220314-08801E** Date: March 21, 2022 Page 5 of 8

			Result	
Item	Unit	RL		Limit
			(1)	
Pentabromobiphenyl(PentaBB)	mg/kg	100	N.D.	-
Hexabromobiphenyl(HexaBB)	mg/kg	100	N.D.	-
Heptabromobiphenyl (HeptaBB)	mg/kg	100	N.D.	-
Octabromobiphenyl(OctaBB)	mg/kg	100	N.D.	-
Nonabromobiphenyl(NonaBB)	mg/kg	100	N.D.	-
Decabromobiphenyl(DecaBB)	mg/kg	100	N.D.	1
Monobromodiphenyl ether (MonoBDE)	mg/kg	100	N.D.	-
Dibromodiphenyl ether (DiBDE)	mg/kg	100	N.D.	-
Tribromodiphenyl ether (TriBDE)	mg/kg	100	N.D.	-
Tetrabromodiphenyl ether (TetraBDE)	mg/kg	100	N.D.	-
Pentabromodiphenyl ether (PentaBDE)	mg/kg	100	N.D.	-
Hexabromodiphenyl ether (HexaBDE)	mg/kg	100	N.D.	-
Heptabromodiphenyl ether (HeptaBDE)	mg/kg	100	N.D.	-
Octabromodiphenyl ether (OctaBDE)	mg/kg	100	N.D.	-
Nonabromodiphenyl ether (NonaBDE)	mg/kg	100	N.D.	-
Decabromodiphenyl ether (DecaBDE)	mg/kg	100	N.D.	-
sum of MonoBDE, DiBDE, TriBDE, TetraB DE, PentaBDE, HexaBDE, HeptaB DE, OctaBDE, NonaBDE, DecaBD E	mg/kg	-	N.D.	1000
sum of MonoBB, DiBB, TriBB, TetraBB, Pe ntaBB, HexaBB, HeptaBB, OctaB B, NonaBB, DecaBB	mg/kg	-	N.D.	1000
Conclusion	/	/	Pass	/



**Report No.: XMTN1220314-08801E** Date: March 21, 2022 Page 6 of 8

Remark:

The maximum permissible limit is quoted from RoHS directive 2011/65/EU its amendment directives:

RoHS Restricted Substances Maximum Concentration Value (mg/kg)

(by weight in homogenous materials)

Cadmium (Cd)100Lead (Pb)1000Mercury (Hg)1000Hexavalent Chromium (Cr(VI))1000Polybrominated biphenyls (PBBs)1000Polybrominate ddiphenylethers (PBDEs)1000

#### Note:

- N.D. = Not Detected or less than RL
- RL = Report Limit
- mg/kg = ppm
- The results less than RL are not taken into account while calculating the sum contents.

#### A.2 Phthalates(DBP, BBP, DEHP, DIBP)content

Test method: IEC 62321-8:2017

Item	11		Result	Limit
	Unit	RL	(1)	
Dibutyl Phthalate(DBP)	%	0.010	N.D.	0.1
Benzyl Butyl Phthalate(BBP)	%	0.010	N.D.	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	%	0.010	N.D.	0.1
Diisobutyl phthalate(DIBP)	%	0.010	N.D.	0.1
Conclusion	/	/	Pass	/

#### Note:


- N.D. = Not Detected or less than RL
- RL = Report Limit
- -0.1% = 1000 mg/kg, mg/kg = ppm

.....



**Report No.: XMTN1220314-08801E** Date: March 21, 2022 Page 7 of 8

Photograph of Sample



BACL authenticate the photo on original report only



**Report No.: XMTN1220314-08801E** Date: March 21, 2022 Page 8 of 8

#### Statement:

- 1. This report cannot be reproduced except in full, without prior written approval of the Company.
- 2.Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
- 3. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
- 4.Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
- 5.The information which provided by the applicant, such as sample description, sample name, material component, style/item No., P.O. No., manufacturer, age phase, the laboratory is not responsible for its authenticity and this information can affect the validity of the result in the test report.
- 6.The test samples were in good condition before testing.
- 7. The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor K with the 95% confidence interval.

\*\*\* End of Report \*\*\*